




## Product Features

- General Purpose Drilling
- For Steel and Cast Iron
- Longer Tool Life
- Competitive Price
- 泛用鑽孔
- 適用一般鋼料與鑄鐵
- 刀具壽命佳
- 價格實惠



### Product Specs

- 3×D Cutting depth
- Straight Shank
- 130° Tip Angle
- External Coolant
- UNIX Coating
- Tolerance h8
- NX Design
- For Alloy Steel, Steel, Stainless Steel and Cast Iron.



Unit:mm

Order No.	D	L1	L	Ds
DGN02000301	2.00	12	38	2.00
DGN02100301	2.10	12	38	2.10
DGN02200301	2.20	13	40	2.20
DGN02300301	2.30	13	40	2.30
DGN02380301	2.38(3/32")	14	43	2.38
DGN02400301	2.40	14	43	2.40
DGN02500301	2.50	14	43	2.50
DGN02600301	2.60	14	43	2.60
DGN02700301	2.70	16	46	2.70
DGN02780301	2.78(7/64")	16	46	2.78
DGN02800301	2.80	16	46	2.80
DGN02900301	2.90	16	46	2.90
DGN03000301	3.00	16	46	3.00
DGN03100301	3.10	18	49	3.10
DGN03170301	3.17(1/8")	18	49	3.17
DGN03200301	3.20	18	49	3.20
DGN03300301	3.30	18	49	3.30
DGN03400301	3.40	20	52	3.40
DGN03500301	3.50	20	52	3.50
DGN03570301	3.57(9/64")	20	52	3.57
DGN03600301	3.60	20	52	3.60
DGN03700301	3.70	20	52	3.70
DGN03800301	3.80	22	55	3.80
DGN03900301	3.90	22	55	3.90
DGN03970301	3.97(5/32")	22	55	3.97
DGN04000301	4.00	22	55	4.00
DGN04100301	4.10	22	55	4.10
DGN04200301	4.20	24	58	4.20
DGN04300301	4.30	24	58	4.30
DGN04370301	4.37(11/64")	24	58	4.37
DGN04400301	4.40	24	58	4.40
DGN04500301	4.50	24	58	4.50
DGN04600301	4.60	24	58	4.60
DGN04700301	4.70	24	58	4.70
DGN04760301	4.76(3/16")	26	62	4.76
DGN04800301	4.80	26	62	4.80
DGN04900301	4.90	26	62	4.90
DGN05000301	5.00	26	62	5.00
DGN05100301	5.10	26	62	5.10
DGN05200301	5.20	26	62	5.20
DGN05300301	5.30	26	62	5.30
DGN05400301	5.40	28	66	5.40
DGN05500301	5.50	28	66	5.50
DGN05600301	5.60	28	66	5.60
DGN05700301	5.70	28	66	5.70
DGN05800301	5.80	28	66	5.80
DGN05900301	5.90	28	66	5.90


Order No.	D	L1	L	Ds
DGN06000301	6.00	28	66	6.00
DGN06100301	6.10	31	70	6.10
DGN06200301	6.20	31	70	6.20
DGN06300301	6.30	31	70	6.30
DGN06350301	6.35(1/4")	31	70	6.35
DGN06400301	6.40	31	70	6.40
DGN06500301	6.50	31	70	6.50
DGN06600301	6.60	31	70	6.60
DGN06700301	6.70	31	70	6.70
DGN06800301	6.80	34	74	6.80
DGN06900301	6.90	34	74	6.90
DGN07000301	7.00	34	74	7.00
DGN07100301	7.10	34	74	7.10
DGN07140301	7.14(9/32")	34	74	7.14
DGN07200301	7.20	34	74	7.20
DGN07300301	7.30	34	74	7.30
DGN07400301	7.40	34	74	7.40
DGN07500301	7.50	34	74	7.50
DGN07600301	7.60	37	79	7.60
DGN07700301	7.70	37	79	7.70
DGN07800301	7.80	37	79	7.80
DGN07900301	7.90	37	79	7.90
DGN07940301	7.94(5/16")	37	79	7.94
DGN08000301	8.00	37	79	8.00
DGN08100301	8.10	37	79	8.10
DGN08200301	8.20	37	79	8.20
DGN08300301	8.30	37	79	8.30
DGN08400301	8.40	37	79	8.40
DGN08500301	8.50	37	79	8.50
DGN08600301	8.60	37	79	8.60
DGN08700301	8.70	37	79	8.70
DGN08730301	8.73(11/32")	40	84	8.73
DGN08800301	8.80	40	84	8.80
DGN08900301	8.90	40	84	8.90
DGN09000301	9.00	40	84	9.00
DGN09100301	9.10	40	84	9.10
DGN09200301	9.20	40	84	9.20
DGN09300301	9.30	40	84	9.30
DGN09400301	9.40	40	84	9.40
DGN09500301	9.50	40	84	9.50
DGN09700301	9.70	43	89	9.70
DGN09800301	9.80	43	89	9.80
DGN09900301	9.90	43	89	9.90





### Product Specs

- 5×D Cutting depth
- Straight Shank
- 130° Tip Angle
- External Coolant
- UNIX Coating
- Tolerance h8
- NX Design
- For Alloy Steel, Steel, Stainless Steel and Cast Iron.



Unit:mm

Order No.	D	L1	L	Ds
DGN05000501	5.00	34	73	5.00
DGN05100501	5.10	38	76	5.10
DGN05200501	5.20	38	76	5.20
DGN05300501	5.30	38	76	5.30
DGN05400501	5.40	38	76	5.40
DGN05500501	5.50	38	76	5.50
DGN05600501	5.60	41	81	5.60
DGN05700501	5.70	41	81	5.70
DGN05800501	5.80	41	81	5.80
DGN05900501	5.90	41	81	5.90
DGN06000501	6.00	41	81	6.00
DGN06100501	6.10	41	81	6.10
DGN06200501	6.20	41	81	6.20
DGN06300501	6.30	41	81	6.30
DGN06400501	6.40	41	81	6.40
DGN06500501	6.50	41	81	6.50
DGN06600501	6.60	43	83	6.60
DGN06700501	6.70	43	83	6.70
DGN06800501	6.80	43	83	6.80
DGN06900501	6.90	43	83	6.90
DGN07000501	7.00	43	83	7.00
DGN07100501	7.10	45	87	7.10
DGN07200501	7.20	45	87	7.20
DGN07300501	7.30	45	87	7.30
DGN07400501	7.40	45	87	7.40
DGN07500501	7.50	45	87	7.50
DGN07600501	7.60	48	90	7.60
DGN07700501	7.70	48	90	7.70
DGN07800501	7.80	48	90	7.80
DGN07900501	7.90	48	90	7.90
DGN08000501	8.00	48	90	8.00
DGN08100501	8.10	53	96	8.10
DGN08200501	8.20	53	96	8.20
DGN08300501	8.30	53	96	8.30
DGN08400501	8.40	53	96	8.40
DGN08500501	8.50	53	96	8.50
DGN08600501	8.60	55	98	8.60
DGN08700501	8.70	55	98	8.70
DGN08800501	8.80	55	98	8.80

Order No.	D	L1	L	Ds
DGN09000501	9.00	55	98	9.00
DGN09100501	9.10	58	102	9.10
DGN09200501	9.20	58	102	9.20
DGN09300501	9.30	58	102	9.30
DGN09500501	9.50	58	102	9.50
DGN09600501	9.60	60	105	9.60
DGN09700501	9.70	60	105	9.70
DGN09800501	9.80	60	105	9.80
DGN10000501	10.00	60	105	10.00
DGN10200501	10.20	66	112	10.20
DGN10300501	10.30	66	112	10.30
DGN10400501	10.40	66	112	10.40
DGN10500501	10.50	66	112	10.50
DGN10600501	10.60	68	114	10.60
DGN10700501	10.70	68	114	10.70
DGN10800501	10.80	68	114	10.80
DGN10900501	10.90	68	114	10.90
DGN11000501	11.00	68	114	11.00
DGN11100501	11.10	71	118	11.10
DGN11200501	11.20	71	118	11.20
DGN11400501	11.40	71	118	11.40
DGN11500501	11.50	71	118	11.50
DGN11600501	11.60	73	121	11.60
DGN11700501	11.70	73	121	11.70
DGN11800501	11.80	73	121	11.80
DGN11900501	11.90	73	121	11.90
DGN12000501	12.00	73	121	12.00
DGN12500501	12.50	76	135	12.50
DGN12700501	12.70	78	137	12.70
DGN13000501	13.00	78	137	13.00
DGN13500501	13.50	84	144	13.50
DGN14000501	14.00	86	147	14.00
DGN14500501	14.50	89	151	14.50
DGN15000501	15.00	91	153	15.00
DGN15500501	15.50	94	157	15.50
DGN16000501	16.00	96	160	16.00